

RELAYS/继电器/RELÉS

2

Normally Open Relay/常开型继电器/Relé Interrputor

12V/40A 24V/20A

2

Change Over Relays/转换型继电器/Relés Polivalentes Inversores

12V/40A 24V/20A

2

Normally Open Relays Double Output/两路输出常开型继电器 /Relés Interrputor Doble Salida

12V/40A 24V/20A

3

Normally Open Relays Multi-Purpose with Double Contact/分路触点常开型继电器/Relés Polivalentes Interrputor Doble Contacto

12V/40A 24V/20A

3

Normally Open Relay/常开型继电器/Relé Interrputor

12V/50A 24V/30A

4

Normally Open Relay/常开型继电器/Relé Interrputor

12V/70A 24V/40A

4

Normally Open Micro Relay/常开型微型继电器/Microrelé Interrputor

5

Change Over Micro Relays/转换型微型继电器/Microrelés Polivalentes Inversores

5

Printed Circuit Relays/印刷线路板继电器/Relés Para Circuitos Impresos

6

Printed Circuit Relays/印刷线路板继电器/Relés Para Circuitos Impresos

6




RELAYS FOR TOYOTA, NISSAN, ISUZU, KIA ETC./丰田, 尼桑, 五十铃, 起亚继电器/RELÉS PARA TOYOTA, NISSAN, ISUZU, KIA ETC.

8

Normally Open Relays Multi-Purpose

Relés Polivalentes Interruptor



12V/40A
24V/20A



	DESCRIPTION 描述 DESCRIPCION	VOLTS 电压	AMP. 电流	REFERENCE 型号 REFERENCIA	BRACKET SUPPORT SOPORTE	CONNECTIONS 脚位图 CONEXIONES
  26 (L) x 26 (W) x 24 (H)	Normally Open Relay Relé Interruptor	12V	40A	620 221	WITHOUT/SIN	 4 X 6.3mm 
		12V	40A	620 223	PLASTIC/PLÁSTICO	
		12V	40A	620 225	METAL	
		24V	20A	620 321	WITHOUT/SIN	
		24V	20A	620 323	PLASTIC/PLÁSTICO	
		24V	20A	620 325	METAL	
	UNIVERSAL					

Change Over Relays Multi-Purpose

Relés Polivalentes Inversores

12V/40A
24V/20A

  26 (L) x 26 (W) x 24 (H)	Change Over Relays Relés Polivalentes Inversores	12V	40A/15A	620 222	WITHOUT/SIN	 5 X 6.3mm 
		12V	40A/15A	620 224	PLASTIC/PLÁSTICO	
		12V	40A/15A	620 226	METAL	
		24V	20A/10A	620 322	WITHOUT/SIN	
		24V	20A/10A	620 324	PLASTIC/PLÁSTICO	
		24V	20A/10A	620 326	METAL	
	UNIVERSAL					





Relays with Resistor or Diode in parallel to the coil available.
Ask us.

Disponibilidad de Relés con Resistencia o Diodo en paralelo con la bobina. Consultar.

Normally Open Relays Multi-Purpose Double Output

Relés Polivalentes Interruputor Doble Salida



12V/40A
24V/20A



	DESCRIPTION 描述 DESCRIPCION	VOLTS 电压	AMP. 电流	REFERENCE 型号 REFERENCIA	BRACKET SUPPORT SOPORTE	CONNECTIONS 脚位图 CONEXIONES
 26 (L) x 26 (W) x 24 (H)	Normally Open Relays Double Output Relés Interruputor Doble Salida UNIVERSAL	12V	40A	620 421	WITHOUT/SIN	 5 X 6.3mm 
		12V	40A	620 422	PLASTIC/PLÁSTICO	
		12V	40A	620 423	METAL	
		24V	20A	620 424	WITHOUT/SIN	
		24V	20A	620 425	PLASTIC/PLÁSTICO	
		24V	20A	620 426	METAL	

Normally Open Relays Multi-Purpose with Double Contact

Relés Polivalentes Interruputor Doble Contacto

12V/40A
24V/20A

 26 (L) x 26 (W) x 24 (H)	Normally Open Relays Multi-Purpose with Double Contact Relés Polivalentes Interruputor Doble Contacto UNIVERSAL	12V	2X20A	620 521	WITHOUT/SIN	 5 X 6.3mm 
		12V	2X20A	620 522	PLASTIC/PLÁSTICO	
		12V	2X20A	620 523	METAL	
		24V	2X10A	620 524	WITHOUT/SIN	
		24V	2X10A	620 525	PLASTIC/PLÁSTICO	
		24V	2X10A	620 526	METAL	





Relays with Resistor or Diode in parallel to the coil available.
Ask us.

Disponibilidad de Relés con Resistencia o Diodo en paralelo con la bobina. Consultar.

Normally Open Power Relays Multi-Purpose

Relés de Potencia Interruputor



12V/50A
24V/30A



	DESCRIPTION 描述 DESCRIPCION	VOLTS 电压	AMP. 电流	REFERENCE 型号 REFERENCIA	BRACKET SUPPORT SOPORTE	CONNECTIONS 脚位图 CONEXIONES
 26.5 (L) x 26.5 (W) x 25 (H)	<i>Normally Open Relay</i> <i>Relé Interruputor</i>	12V	50A	621 621	WITHOUT/SIN	 4 X 6.3mm 
		12V	50A	621 622	PLASTIC/ PLÁSTICO	
		12V	50A	621 623	METAL	
		24V	30A	621 624	WITHOUT/SIN	
		24V	30A	621 625	PLASTIC/ PLÁSTICO	
		24V	30A	621 626	METAL	
UNIVERSAL						

Normally Open Power Relays Multi-Purpose

Relés de Potencia Interruputor

12V/70A
24V/40A

 26.5 (L) x 26.5 (W) x 25 (H)	<i>Normally Open</i> <i>Relay</i> <i>Relé</i> <i>Interruputor</i> UNIVERSAL	12V	70A	622 721	WITHOUT/SIN	 2 X 6.3mm 2 X 9.5mm
		12V	70A	622 722	PLASTIC/ PLÁSTICO	
		12V	70A	622 723	METAL	
		24V	40A	622 724	WITHOUT/SIN	
		24V	40A	622 725	PLASTIC/ PLÁSTICO	
		24V	40A	622 726	METAL	
						




Relays with Resistor or Diode in parallel to the coil available.

Ask us.

Disponibilidad de Relés con Resistencia o Diodo en paralelo con la bobina. Consultar.


Normally Open Micro Relay

Microrelés Interrputor

	DESCRIPTION 描述 DESCRIPCION	VOLTS 电压	AMP. 电流	REFERENCE 型号 REFERENCIA	BRACKET SUPPORT SOPORTE	CONNECTIONS 脚位图 CONEXIONES
 23 (L) x 15.5 (W) x 25 (H)	Normally Open Micro Relay Microrelé Interrputor	12V	20A	623 101	WITHOUT/SIN	
		12V	30A	623 103	WITHOUT/SIN	
		24V	20A	623 102	WITHOUT/SIN	
		24V	30A	623 104	WITHOUT/SIN	
	UNIVERSAL					


Normally Open Micro Relay

Microrelés Interrputor

 23 (L) x 15.5 (W) x 25 (H)	Normally Open Micro Relay Microrelé Interrputor	12V	30A	623 301	WITHOUT/SIN	
		24V	30A	623 302	WITHOUT/SIN	
	VW, FORD					

Change Over Micro Relays



Microrelés Inversores

 23 (L) x 15.5 (W) x 25 (H)	Change Over Relays Relés Polivalentes Inversores	12V	20A/10A	623 201	WITHOUT/SIN	
		12V	30A/20A	623 203	WITHOUT/SIN	
		24V	20A/10A	623 202	WITHOUT/SIN	
		24V	30A/20A	623 204	WITHOUT/SIN	
	UNIVERSAL					

Relays with Resistor or Diode in parallel to the coil available.

Ask us.

Disponibilidad de Relés con Resistencia o Diodo en paralelo con la bobina. Consultar.



RELAYS





继电器

RELÉS





Printed Circuit Relays

Relés Para Circuitos Impresos


	DESCRIPTION 描述 DESCRIPCION	VOLTS 电压	AMP. 电流	REFERENCE 型号 REFERENCIA	ENCLOSURE 封口	CONNECTIONS 脚位图 CONEXIONES
 OPEN ABIERTO 15.3 (L) x 13.2 (W) x 18 (H)	Normally Open Relay Relé Interruptor	12V	20A	625 001	OPEN/ ABIERTO	
		24V	10A	625 003	OPEN/ ABIERTO	
		12V	20A	625 002	COVERED/ SELLADO	
		24V	10A	625 004	COVERED/ SELLADO	
	Change Over Relay Relé Inversore	12V	20/10A	625 005	OPEN/ ABIERTO	
		24V	10/5A	625 007	OPEN/ ABIERTO	
		12V	20/10A	625 006	COVERED/ SELLADO	
		24V	10/5A	625 008	COVERED/ SELLADO	
	Normally Open Relays Multi-Purpose with Double Contact Relés Polivalentes Interruptor Doble Contacto	12V	2 x 10A	625 009	OPEN/ ABIERTO	
		24V	2 x 10A	625 011	OPEN/ ABIERTO	
		12V	2 x 10A	625 010	COVERED/ SELLADO	
		24V	2 x 10A	625 012	COVERED/ SELLADO	
 COVERED SELLADO 17 (L) x 15 (W) x 19.5 (H)	Change Over Relay with Double Contact and output Relé Inversore con Doble Contacto y Salida	12V	2 x 10A / 2 X 5A (NO / NC)	625 013	OPEN/ ABIERTO	
		24V	2 x 10A / 2 X 5A (NO / NC)	625 015	OPEN/ ABIERTO	
		12V	2 x 10A / 2 X 5A (NO / NC)	625 014	COVERED/ SELLADO	
		24V	2 x 10A / 2 X 5A (NO / NC)	625 016	COVERED/ SELLADO	

PCB layout / PCB plano y cotas





 19 (L) x 15.5 (W) x 15 (H)	Normally Open Relay Relé Interruptor	6V	20A	626 001	45±10	
		12V	20A	626 003	180±10	
		24V	20A	626 005	720±10	
	Change Over Relay Relé Inversore	6V	20A/10A	626 002	45±10	
		12V	20A/10A	626 004	180±10	
		24V	20A/10A	626 006	720±10	



PCB layout / PCB plano y cotas







Printed Circuit Relays





Relés Para Circuitos Impresos


	DESCRIPTION 描述 DESCRIPCION	VOLTS 电压	AMP. 电流	REFERENCE 型号 REFERENCIA	OHM 功率	CONNECTIONS 脚位图 CONEXIONES
 OPEN ABIERTO 25 (L) x 21 (W) x 20 (H)  COVERED SELLADO 26.5 (L) x 21.5 (W) x 21.5 (H)	<i>Normally Open Relay</i> <i>Relé Interruptor</i>	12V	40A	627 001	OPEN/ABIERTO	
		24V	40A	627 003	OPEN/ABIERTO	
		12V	40A	627 002	COVERED/SELLADO	
		24V	40A	627 004	COVERED/SELLADO	
	<i>Change Over Relay</i> <i>Relé Inversore</i>	12V	40/30A	627 005	OPEN/ABIERTO	
		24V	40/30A	627 007	OPEN/ABIERTO	
		12V	40/30A	627 006	COVERED/SELLADO	
		24V	40/30A	627 008	COVERED/SELLADO	



PCB layout / PCB plano y cotas	
 USA footprint / USA huella	 European footprint / Europeo huella



 15.7 (L) x 12.3 (W) x 14 (H)	<i>Normally Open Relay</i> <i>Relé Interruptor</i>	6V	20A	628 001	60±10	
		12V	20A	628 004	240±10	
		24V	20A	628 007	960±10	
	<i>Change Over Relay</i> <i>Relé Inversore</i>	6V	20A/10A	628 002	60±10	
		12V	20A/10A	628 005	240±10	
		24V	20A/10A	628 008	960±10	
	<i>Change Over Relay with Double Contact</i> <i>Relé Inversore con Doble Contacto</i>	6V	2 x 10A	628 003	60±10	
		12V	2 x 10A	628 006	240±10	
		24V	2 x 10A	628 009	960±10	



PCB layout / PCB plano y cotas


	DESCRIPTION 描述 DESCRIPCION	REFERENCE 型号 REFERENCIA	OE NUMBER 原厂号 CONSTRUCTORES CÓDIGO	CONNECTIONS 脚位图 CONEXIONES
 (Size:φ29×50)	<i>Head lamp, Horn Relay</i>	811	90987-01003	 
 (Size:φ29×50)	<i>A/C, Charge lamp Cooling Fan, Defogger, EFI, Fog lamp, Head lamp, etc.</i>	812	90987-02004 056700-4810	 
 (Size:φ29×50)	<i>Cooling Fan Relay</i>	813	90987-03001	 
	<i>Starter, lamp, mirror,door lock relay etc.</i>	835	28300-16010 056700-7400	
	TOYOTA, LEXUS			

	DESCRIPTION 描述 DESCRIPCION	REFERENCE 型号 REFERENCIA	OE NUMBER 原厂号 CONSTRUCTORES CÓDIGO	CONNECTIONS 脚位图 CONEXIONES
 32 (L) x 26 (W) x 47 (H)	<i>Lamp relay</i>	837	TOYOTA: 056700-7201	 
	TOYOTA, MITSUBUSHI			

 23 (L) x 15.5 (W) x 25 (H)	<i>Multi purpose relay</i>	623103	TOYOTA: 90987-02012 156700-0870 156700-0940	 
	UNIVERSAL		NISSAN: 38860-60G00	

 23 (L) x 15.5 (W) x 25 (H)	<i>Multi purpose relay</i>	623203	TOYOTA: 90987-04004 156700-0860 156700-0930	 
	TOYOTA			


 20 (L) x 17 (W) x 26 (H)	<i>Horn relay</i>	839	TOYOTA: 86530-20070	 
	TOYOTA			


RELAYS


继电器


RELÉS



	DESCRIPTION 描述 DESCRIPCION	REFERENCE 型号 REFERENCIA	OE NUMBER 原厂号 CONSTRUCTORES CÓDIGO	CONNECTIONS 脚位图 CONEXIONES
 32 (L) x 28 (W) x 33 (H)	<i>Starter relay</i>	840	TOYOTA: 28300-46010	 
	TOYOTA			

 32 (L) x 28 (W) x 33 (H)	<i>Fuel Injection Relay</i>	841	TOYOTA: 90987-02006	 
	TOYOTA			

 32 (L) x 28 (W) x 33 (H)	<i>A/C, blower, air compressor relay</i>	842	TOYOTA: 90987-04002	 
	TOYOTA			


 30 (L) x 30 (W) x 54 (H)	<i>Flasher relay</i>	843	TOYOTA: 81980-12070	
	TOYOTA			




RELAYS


继电器




RELÉS



	DESCRIPTION 描述 DESCRIPCION	REFERENCE 型号 REFERENCIA	OE NUMBER 原厂号 CONSTRUCTORES CÓDIGO	CONNECTIONS 脚位图 CONEXIONES
 28 (L) x 24 (W) x 18 (H)	<i>Cooling fan , main and fuel pump relay</i>	862	38860-60B30 38860-72G00	 
	NISSAN			

	<i>main and multi purpose relay</i>	865	NISSAN: 25230-C9970	 
	NISSAN			

 33 (L) x 27 (W) x 30 (H)	<i>Fan relay</i>	889	KIA: KK 174-61-691	
	KIA / HYUNDAI			

 28 (L) x 31 (W) x 32 (H)	<i>main and multi purpose relay</i>	891	ISUZU: 8-94248-989-0	 
	ISUZU			